



NOV 05 1991

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

75 Hawthorne Street

San Francisco, Ca. 94105

3013  
SFUND RECORDS CTR

2386012

Commanding Officer  
Naval Facilities Engineering Command  
Southwest Division  
Environmental Division  
1220 Pacific Highway  
San Diego, CA 92132-5190

CA 0170024335

Dear Sir:

Enclosed are the results of our review of the PA/SI package you prepared and sent to us for Naval Facilities Engineering Command, Southwest Division. The objective of our review was twofold: 1) to determine if the facility had met Superfund Amendment and Reauthorization Act requirements as defined in Section 120; and 2) to determine if site conditions at the facility pose a significant threat to human health and the environment such that it warrants placement on the National Priorities List (NPL).

You have submitted enough information for us to certify that the PA requirements have been met for the facility. This decision will be entered into the CERCLIS database. Based on the submitted information, we were able to make a decision of no further action for this site. Continued EPA involvement under Superfund is not warranted at this time. You should be aware that if additional information is provided to the agency that affects the no further action decision, your site may be re-evaluated. A copy of our evaluation is enclosed.

Should you have any questions pertaining to this matter, please feel free to contact me or Carolyn Douglas of the Site Evaluation Section at (415) 744-2352 or 744-2343. Please send your written response to U.S. Environmental Protection Agency Region IX Attn: Carolyn Douglas, Site Evaluation Section (H-8-1), 75 Hawthorne Street, San Francisco, CA. 95105.

Sincerely,

Donald C. White, Chief  
Field Operations Branch

Enclosure

cc: California Department of Toxic Substance Control  
San Francisco Regional Water Quality Control Board

SYMBOL	H-8-1					
SURNAME	Douglas					
DATE	10-4-91					
U.S. EPA CONCURRENCES						

OFFICIAL FILE COPY

R E P O R T   T R A N S M I T T A L

Date delivered to H-8-1: 9-20-91

A copy/copies of this for Naval Facilities Engineering Command, Southwest Division should be sent to the following agencies or individual(s):

California Department of Toxic Substances Control  
Site Mitigation Branch, Site Evaluation Unit  
245 W. Broadway, Suite 350  
Long Beach, CA 90802  
Attn: Al Arellano

California Regional Water Quality Control Board,  
San Diego Region  
9771 Clairmont Mesa Boulevard  
San Diego, CA 92124  
Attn: Arthur Coe

Naval Facilities Engineering Command,  
Southwest Division  
1220 Pacific Coast Highway  
San Diego, CA 92132  
Attn: Linda Geltner

+ 2 copies



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

75 Hawthorne Street  
San Francisco, Ca. 94105

NOV 05 1991

Commanding Officer  
Naval Facilities Engineering Command  
Southwest Division  
Environmental Division  
1220 Pacific Highway  
San Diego, CA 92132-5190


Dear Sir:

Enclosed are the results of our review of the PA/SI package you prepared and sent to us for Naval Facilities Engineering Command, Southwest Division. The objective of our review was twofold: 1) to determine if the facility had met Superfund Amendment and Reauthorization Act requirements as defined in Section 120; and 2) to determine if site conditions at the facility pose a significant threat to human health and the environment such that it warrants placement on the National Priorities List (NPL).

You have submitted enough information for us to certify that the PA requirements have been met for the facility. This decision will be entered into the CERCLIS database. Based on the submitted information, we were able to make a decision of no further action for this site. Continued EPA involvement under Superfund is not warranted at this time. You should be aware that if additional information is provided to the agency that affects the no further action decision, your site may be re-evaluated. A copy of our evaluation is enclosed.

Should you have any questions pertaining to this matter, please feel free to contact me or Carolyn Douglas of the Site Evaluation Section at (415) 744-2352 or 744-2343. Please send your written response to U.S. Environmental Protection Agency Region IX Attn: Carolyn Douglas, Site Evaluation Section (H-8-1), 75 Hawthorne Street, San Francisco, CA. 95105.

Sincerely,

  
Donald C. White, Chief  
Field Operations Branch

Enclosure

cc: California Department of Toxic Substance Control  
San Francisco Regional Water Quality Control Board